



**Technical Feature of  
Midea Light Commercial Products  
(*J Floor Standing*)**

**Oct. 2013**

## ➤ Overview




## ➤ Outstanding Features

LCD Display

Fresh Air

Dust-proof Air Outlet

Remote Controller Holder



Eye catching digital LCD panel presents modern home appliance.

## ➤ Outstanding Features

LCD Display

Fresh Air

Dust-proof Air Outlet

Remote Controller Holder



The air conditioner have a pump in the indoor unit, the pump sucks the fresh air from outside, and the indoor polluted airflow out of the room via the air pressure.

## ➤ Outstanding Features

LCD Display

Fresh Air

Dust-proof Air Outlet

Remote Controller Holder



When press OFF to turn off the unit, the air outlet louver can be closed automatically to prevent the dust falling in.

## ➤ Outstanding Features

LCD Display

Fresh Air

Dust-proof Air Outlet

Remote Controller Holder



When the unit is not in use, the remote controller can be stored in the special holder.

## ➤ Other Features

### Standard Features



Self-diagnosis and Auto-protection



Independent Dehumidification



Easy-cleaned Panel



Anti-Rust Cabinet



Auto Restart Function



Sleep Mode



Timer

### Optional Features



Golden Fin


















Optional Filter



Auxiliary Electric Heater

## ➤ Products Lineup

| Series       | Power supply        | 18K   | 21K   | 24K   | 36K   | 42K   | 48K   |
|--------------|---------------------|---|---|---|---|---|---|
| R410A On-Off | 220-240V~ 50Hz, 1Ph |   |   |  |   |   |   |
|              | 380-420V~ 50Hz, 3Ph |   |   |   |   |  |    |
| R22 On-Off   | 220-240V~ 50Hz, 1Ph |  |  |  |  |   |   |
|              | 380-420V~ 50Hz, 3Ph |   |   |   |  |  |    |
|              | 220-230V~ 60Hz, 1Ph |   |   |   |  |   |   |
|              | 380-420V~ 60Hz, 3Ph |   |   |   |   |   |    |
| R22 T3       | 220-240V~ 50Hz, 1Ph |   |   |  |  |   |   |
|              | 380-420V~ 50Hz, 3Ph |   |   |   |   |   |   |
|              | 220-230V~ 60Hz, 1Ph |   |   |   |   |   |  |



 Midea<sup>®</sup>  
AIR CONDITIONING